

Science News

from research organizations

Evolution does repeat itself after all: How evolution lets stripes come and go

Date: October 25, 2018

Source: University of Konstanz

Summary: A team of evolutionary biologists discovers the genetic basis for the repeated evolution of color patterns. The findings about the stripes of the especially diverse species of East-African cichlid fishes explain how evolution can repeat itself at record speed.

Share: [f](#) [t](#) [G+](#) [p](#) [in](#) [✉](#)

FULL STORY



Colourful cichlids with horizontal stripes living in the large African lakes Malawi, Victoria and Tanganjika illustrate the repeating (convergent) process of evolution.

Credit: Copyright Claudius Kratochwil

A team of evolutionary biologists from the University of Konstanz, headed by Prof. Dr. Axel Meyer, discovers the genetic basis for the repeated evolution of colour patterns. The findings about the stripes of the especially diverse species of East-African cichlid fishes explain how evolution can repeat itself at record speed. The study is published in **Science** magazine on 26 October.

Why does evolution repeat itself? What happens genetically during these repetitions? Do the same or other genes and mechanisms produce organisms that look similar? Professor Axel Meyer and his team from Konstanz University have come closer to answering this question that is as old as it is important. The answer is quite astonishing. They studied a special colour pattern that is omnipresent among all kinds of animals: horizontal stripes. The researchers were able to identify the basis of the repeated evolution of these stripes with modern methods in genomics and molecular biology and verified them with a CRISPR-Cas mutant fish that added a stripe.

More than 1200 types of colourful cichlid can be found in the large African lakes Malawi, Victoria and Tanganjika. Not only are they very diverse in colours, they also have numerous colour patterns such as horizontal or vertical stripes. "But that's not all" explains Axel Meyer, "cichlids are prime examples of evolution. They are extremely diverse in terms of social behaviour, body shape, colour pattern and many other biological aspects, but at the same time certain features repeatedly evolved independently in the different lakes." This principle of repeated evolution -- biologists term it convergent evolution -- makes cichlids the perfect target to study the genetic basis of this phenomenon. If similar colours and body shapes have emerged in several evolutionary lines independently from each other this means that evolution reacted to similar environmental conditions in the same way. The question now is: When evolution repeats itself, how does this work genetically?

Which gene and which genetic mechanism are responsible for the cichlids' stripes to come and go has now been reconstructed in the laboratory through genome analyses, breeding and experiments, including CRISPR-Cas as "gene scissors." Dr Claudius Kratochwil, early career researcher in Professor Meyers team and first author of the study in *Science*, explains: "In breeding experiments we can exactly determine on which of the 22 chromosomes, even on which area of the chromosome of the fish, the genetic instruction for stripes is located." The relevant gene on this chromosome part is called *agrp2*. This "stripe gene," its origin and distribution in other African lakes was described in comparative molecular studies. From an evolutionary point of view, the cichlids' stripes are rather unstable. Over the course of a few million years, they have been lost and re-emerged in the African lakes many times over. As these species (with and without stripes) are so young, they can be interbred in aquaria. Breeding and examining the cichlids with and without stripes in the laboratory shows that all cichlids carry the "stripes gene," but the switches (regulatory elements) of this gene differ. "This genetic switch causes the gene in species without stripes to be more activated. As a result, a lot of protein is produced. The "stripes gene" *agrp2* works as a "stripes inhibitor": if gene production is high, stripes will be suppressed, if production is low, they will remain. The researchers were able to demonstrate this by using modern genetic methods. "If we use CRISPR-Cas to remove the gene from the genome of a species without stripes," Kratochwil explains, "then even a "stripeless" fish will suddenly develop stripes, as we showed with a CRISPR-Cas mutant fish. This proves that the stripes gene is the decisive genetic factor."

The latest findings on this genetic mechanism, the activation or deactivation of stripes by the "stripes gene," were published in the current issue of *Science* magazine. Interestingly, the cichlid's *agrp2* gene is a copy of the *agouti* gene in mammals, which is responsible for the different coat colours of cats, dogs, horses and striped baby birds. "The world of animals might be much less colourful without the *agouti* gene family," reflects Claudius Kratochwil. The mechanism of the "stripes gene" in cichlids clearly makes repeated evolution possible within the briefest of times, relatively speaking. If characteristics are lost during evolution, usually this loss is forever, as the Belgian palaeontologist Louis Dollo already realized exactly 125 years ago, and wrote up his conclusions in "Dolls Law" in 1893. The special aspect of the stripes gene *agrp2* is that it makes repeated evolution of a characteristic possible

in a simple way. If a cichlid loses its stripes that does not mean they will never return or vice versa. These molecular-biological studies also show that palaeontological rules and evolutionary rules have to be questioned once again.

Story Source:

Materials provided by **University of Konstanz**. Note: Content may be edited for style and length.

Journal Reference:

1. Claudius F. Kratochwil, Yipeng Liang, Jan Gerwin, Joost M. Woltering, Sabine Urban, Frederico Henning, Gonzalo Machado-Schiaffino, C. Darrin Hulsey, Axel Meyer. **Agouti-related peptide 2 facilitates convergent evolution of stripe patterns across cichlid fish radiations**. Science, 2018 DOI: 10.1126/science.aao6809

Cite This Page:

[MLA](#)[APA](#)[Chicago](#)

University of Konstanz. "Evolution does repeat itself after all: How evolution lets stripes come and go." ScienceDaily. ScienceDaily, 25 October 2018. <www.sciencedaily.com/releases/2018/10/181025142037.htm>.

RELATED STORIES

Evolution: On Mosaics and Melting-Pots

May 2, 2017 — Genetic studies of cichlid fishes suggest that interspecies hybrids played a prominent role in their evolution. Analysis of a unique fossil cichlid from the Upper Miocene of East Africa now provides ... [read more »](#)

Evolutionary Biologists Observe Parallel, Repeated Evolution of Cichlid Fish in Nicaragua

Oct. 28, 2014 — If one would rewind the tape of life, would evolution result in the same outcome? An evolutionary biologist came up with this famous question. He suggested that evolution would not repeat itself: the ... [read more »](#)



Jumping Genes and Cichlids' Egg-Spots: How Evolution Creates New Characteristics

Oct. 9, 2014 — The evolution of new traits with novel functions has always posed a challenge to evolutionary biology. Studying the color markings of cichlid fish, scientists were now able to show what triggered ... [read more »](#)

Sequencing of Five African Fishes Reveals Diverse Molecular Mechanisms Underlying Evolution

Sep. 3, 2014 — In an effort to understand the molecular basis of adaptation in vertebrates, researchers sequenced the genomes and transcriptomes of five species of African cichlid fishes. A research team uncovered ... [read more »](#)

FROM AROUND THE WEB

Below are relevant articles that may interest you. ScienceDaily shares links with scholarly publications in the TrendMD network and earns revenue from third-party advertisers, where indicated.

Promoter of lncRNA Gene PVT1 Is a Tumor-Suppressor DNA Boundary Element

Cell

CRISPR-Cas9 screens in human cells and primary neurons identify modifiers of C9ORF72 dipeptide-repeat-protein toxicity

Nature Genetics

Empire Genomics Inks Italian Distribution Deal

360Dx

Comparative genome and methylome analysis reveals restriction/modification system diversity in the gut commensal *Bifidobacterium breve*

Nucleic Acids Research

Broad Institute Team Engineers New Dx Technology Powered by CRISPR, Isothermal Amplification

360Dx

Broad Institute Team Engineers Sherlock, Powered by CRISPR, Isothermal Amplification

360Dx

Human-Specific NOTCH2NL Genes Affect Notch Signaling and Cortical Neurogenesis

Cell

Comprehensive phylogeny of ray-finned fishes (Actinopterygii) based on transcriptomic and genomic data

Proceedings of the National Academy of Sciences of the United States of America

Powered by **TREND MD**

I consent to the use of Google Analytics and related cookies across the TrendMD network (widget, website, blog). [Learn more](#)

Yes

No

Free Subscriptions

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 Email Newsletters

 RSS Feeds

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

 Facebook

 Twitter

 Google+

 LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Staff](#) | [Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Editorial Policy](#) | [Terms of Use](#)

Copyright 2018 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners. Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.